

COLUMN RADIATORS

The Vasco column radiator combines high power with a rapid heat output.

It can be stand-alone or fitted to the wall and delivers top performance in combination with low water temperature systems such as heat pumps and solar water heaters.

A retro radiator in the most durable sense of the word.

The Vasco column radiator is tailored towards economical and sustainable energy use right down to the smallest details.

It features smart connectors and fixing systems and innovative technological solutions.

COLUMN RADIATORS

VINTAGE

322

VINTAGE (VINTAGE 50)



TYPES

- Vintage 50: distance between the columns 50 mm
- 4 depths (D110, D160, D220, D250)

COLOURS

- Standard colour S600 (fine texture white) (RAL 9016: no extra charge 15%)
- Available in transparent coating (colour code 9990)
- **Attention: do not equip a radiator in transparent coating in damp rooms!**
- Extensive colour chart see p. 10

SPECIAL

- Wall- or floor mounting

BRACKETS

- Standard wall brackets and feet, 1/2" plug, 1/2" air vent
- Brackets in the colour of the radiator (number depends on the length of the radiator)
- The feet and brackets of radiators in transparent coating are lacquered in the colour N507.

TECHNICAL

- KTL priming coat, epoxy-polyester powder coating
- Standard operating pressure: 5 bar
- Maximum operating temperature: 120°C

TECHNICAL DRAWINGS

- See p. 338

CONNECTION


- 4x 1/2" (23, 67, 26, 37)
- Air vent in connection 3 or 6
- Connections: 1/2" (inner thread)
- Connection 27, 72: **supplement €70**

VINTAGE

The past has made a complete comeback

Back to the 'primal radiator'. Very popular because of its imaginative, authentic look. Offered as standard in white, but also available in a transparent coating for an even more pronounced vintage look. Vintage guarantees an extremely high heat output. Ideal for the heating of large, high rooms, also in combination with low-energy technologies. A designer radiator like no other that comes into its own in a retro interior and likes to be placed in front of a window.

RECOMMENDED CONNECTION (2367)





Other connection methods, see p. 337



HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)

VINTAGE (VINTAGE 50 / D110)



VINTAGE 50 / D110

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D110 : 11290											
11290 0178 0600 2367 YYY -0000	3	178	600	165	87	1,25	4,17	2,49	-	377	434
	3	178	1000	252	131	1,28	6,57	3,39	-	400	460
11290 0228 0600 2367 YYY -0000	4	228	600	220	116	1,25	5,56	3,32	-	393	452
	4	228	1000	336	175	1,28	8,76	4,52	-	426	490
11290 0278 0600 2367 YYY -0000	5	278	600	275	145	1,25	6,95	4,15	-	415	477
	5	278	1000	420	218	1,28	10,95	5,65	-	456	524
11290 0328 0600 2367 YYY -0000	6	328	600	330	174	1,25	8,34	4,98	-	434	499
	6	328	1000	504	262	1,28	13,14	6,78	-	480	552
11290 0378 0600 2367 YYY -0000	7	378	600	385	203	1,25	9,73	5,81	-	451	519
	7	378	1000	588	306	1,28	15,33	7,91	-	508	584
11290 0428 0600 2367 YYY -0000	8	428	600	440	232	1,25	11,12	6,64	-	475	546
	8	428	1000	672	349	1,28	17,52	9,04	-	538	619
11290 0478 0600 2367 YYY -0000	9	478	600	495	261	1,25	12,51	7,47	-	495	569
	9	478	1000	756	393	1,28	19,71	10,17	-	565	650
11290 0528 0600 2367 YYY -0000	10	528	600	550	290	1,25	13,90	8,30	-	515	592
	10	528	1000	840	437	1,28	21,90	11,30	-	593	682
11290 0578 0600 2367 YYY -0000	11	578	600	605	319	1,25	15,29	9,13	-	537	618
	11	578	1000	924	481	1,28	24,09	12,43	-	623	716
11290 0628 0600 2367 YYY -0000	12	628	600	660	349	1,25	16,68	9,96	-	556	639
	12	628	1000	1008	524	1,28	26,28	13,56	-	646	743
11290 0678 0600 2367 YYY -0000	13	678	600	715	378	1,25	18,07	10,79	-	573	659
	13	678	1000	1092	568	1,28	28,47	14,69	-	675	776
11290 0728 0600 2367 YYY -0000	14	728	600	770	407	1,25	19,46	11,62	-	595	684
	14	728	1000	1176	612	1,28	30,66	15,82	-	701	806
11290 0778 0600 2367 YYY -0000	15	778	600	825	436	1,25	20,85	12,45	-	609	700
	15	778	1000	1260	655	1,28	32,85	16,95	-	728	837
11290 0828 0600 2367 YYY -0000	16	828	600	880	465	1,25	22,24	13,28	-	631	726
	16	828	1000	1344	699	1,28	35,04	18,08	-	753	866
11290 0878 0600 2367 YYY -0000	17	878	600	935	494	1,25	23,63	14,11	-	646	743
	17	878	1000	1428	743	1,28	37,23	19,21	-	777	894
11290 0928 0600 2367 YYY -0000	18	928	600	990	523	1,25	25,02	14,94	-	669	769
	18	928	1000	1512	786	1,28	39,42	20,34	-	804	925
11290 0978 0600 2367 YYY -0000	19	978	600	1045	552	1,25	26,41	15,77	-	684	787
	19	978	1000	1596	830	1,28	41,61	21,47	-	831	956

In conformity with EN442-1: 2014: radiators and convectors


For heat outputs in other regimes, see p. 350 (correction factors)
EXPORT. Prices in Euro (excl. VAT)

VINTAGE (VINTAGE 50 / D110)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D110





PRODUCT GROUP: COLUMN

REFERENCE CODE CUSTOM MADE VINTAGE 50						TECHNICAL DATA					STANDARD COLOUR		OTHER COLOURS			
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D110 : 11290																
11290	1028	0600	2367	YYYY	-0000	20	1028	600	1100	581	1,25	27,80	16,60	-	703	808
		1000				20	1028	1000	1680	874	1,28	43,80	22,60	-	855	983
11290	1078	0600	2367	YYYY	-0000	21	1078	600	1155	610	1,25	29,19	17,43	-	738	849
		1000				21	1078	1000	1764	917	1,28	45,99	23,73	-	895	1029
11290	1128	0600	2367	YYYY	-0000	22	1128	600	1210	639	1,25	30,58	18,26	-	754	867
		1000				22	1128	1000	1848	961	1,28	48,18	24,86	-	921	1059
11290	1178	0600	2367	YYYY	-0000	23	1178	600	1265	668	1,25	31,97	19,09	-	773	889
		1000				23	1178	1000	1932	1005	1,28	50,37	25,99	-	946	1088
11290	1228	0600	2367	YYYY	-0000	24	1228	600	1320	697	1,25	33,36	19,92	-	788	906
		1000				24	1228	1000	2016	1048	1,28	52,56	27,12	-	973	1119
11290	1278	0600	2367	YYYY	-0000	25	1278	600	1375	726	1,25	34,75	20,75	-	808	929
		1000				25	1278	1000	2100	1092	1,28	54,75	28,25	-	997	1147
11290	1328	0600	2367	YYYY	-0000	26	1328	600	1430	755	1,25	36,14	21,58	-	842	968
		1000				26	1328	1000	2184	1136	1,28	56,94	29,38	-	1038	1194
11290	1378	0600	2367	YYYY	-0000	27	1378	600	1485	784	1,25	37,53	22,41	-	860	989
		1000				27	1378	1000	2268	1179	1,28	59,13	30,51	-	1066	1226
11290	1428	0600	2367	YYYY	-0000	28	1428	600	1540	813	1,25	38,92	23,24	-	881	1013
		1000				28	1428	1000	2352	1223	1,28	61,32	31,64	-	1091	1255
11290	1478	0600	2367	YYYY	-0000	29	1478	600	1595	842	1,25	40,31	24,07	-	899	1034
		1000				29	1478	1000	2436	1267	1,28	63,51	32,77	-	1118	1286
11290	1528	0600	2367	YYYY	-0000	30	1528	600	1650	871	1,25	41,70	24,90	-	917	1055
		1000				30	1528	1000	2520	1310	1,28	65,70	33,90	-	1142	1313
11290	1578	0600	2367	YYYY	-0000	31	1578	600	1705	900	1,25	43,09	25,73	-	933	1073
		1000				31	1578	1000	2604	1354	1,28	67,89	35,03	-	1173	1349
11290	1628	0600	2367	YYYY	-0000	32	1628	600	1760	929	1,25	44,48	26,56	-	954	1097
		1000				32	1628	1000	2688	1398	1,28	70,08	36,16	-	1201	1381
11290	1678	0600	2367	YYYY	-0000	33	1678	600	1815	958	1,25	45,87	27,39	-	1011	1163
		1000				33	1678	1000	2772	1442	1,28	72,27	37,29	-	1267	1457
11290	1728	0600	2367	YYYY	-0000	34	1728	600	1870	987	1,25	47,26	28,22	-	1029	1183
		1000				34	1728	1000	2856	1485	1,28	74,46	38,42	-	1294	1488
11290	1778	0600	2367	YYYY	-0000	35	1778	600	1925	1017	1,25	48,65	29,05	-	1050	1208
		1000				35	1778	1000	2940	1529	1,28	76,65	39,55	-	1317	1515
11290	1828	0600	2367	YYYY	-0000	36	1828	600	1980	1046	1,25	50,04	29,88	-	1072	1233
		1000				36	1828	1000	3024	1573	1,28	78,84	40,68	-	1344	1546
11290	1878	0600	2367	YYYY	-0000	37	1878	600	2035	1075	1,25	51,43	30,71	-	1088	1251
		1000				37	1878	1000	3108	1616	1,28	81,03	41,81	-	1369	1574

VASCO

HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)




VINTAGE 50 / D110

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS					
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)					
REF. NR. VINTAGE 50/D110 : 11290																
11290	1928	0600	2367	YYYY	-0000	38	1928	600	2090	1104	1,25	52,82	31,54	-	1108	1274
		1000				38	1928	1000	3192	1660	1,28	83,22	42,94	-	1395	1604
11290	1978	0600	2367	YYYY	-0000	39	1978	600	2145	1133	1,25	54,21	32,37	-	1125	1294
		1000				39	1978	1000	3276	1704	1,28	85,41	44,07	-	1422	1635
11290	2028	0600	2367	YYYY	-0000	40	2028	600	2200	1162	1,25	55,60	33,20	-	1147	1319
		1000				40	2028	1000	3360	1747	1,28	87,60	45,20	-	1446	1663
11290	2078	0600	2367	YYYY	-0000	41	2078	600	2255	1191	1,25	56,99	34,03	-	1161	1335
		1000				41	2078	1000	3444	1791	1,28	89,79	46,33	-	1472	1693
11290	2128	0600	2367	YYYY	-0000	42	2128	600	2310	1220	1,25	58,38	34,86	-	1183	1360
		1000				42	2128	1000	3528	1835	1,28	91,98	47,46	-	1497	1722
11290	2178	0600	2367	YYYY	-0000	43	2178	600	2365	1249	1,25	59,77	35,69	-	1201	1381
		1000				43	2178	1000	3612	1878	1,28	94,17	48,59	-	1526	1755
11290	2228	0600	2367	YYYY	-0000	44	2228	600	2420	1278	1,25	61,16	36,52	-	1220	1403
		1000				44	2228	1000	3696	1922	1,28	96,36	49,72	-	1550	1783
11290	2278	0600	2367	YYYY	-0000	45	2278	600	2475	1307	1,25	62,55	37,35	-	1236	1421
		1000				45	2278	1000	3780	1966	1,28	98,55	50,85	-	1577	1814
11290	2328	0600	2367	YYYY	-0000	46	2328	600	2530	1336	1,25	63,94	38,18	-	1256	1444
11290	2378	0600	2367	YYYY	-0000	47	2378	600	2585	1365	1,25	65,33	39,01	-	1272	1463
11290	2428	0600	2367	YYYY	-0000	48	2428	600	2640	1394	1,25	66,72	39,84	-	1294	1488
11290	2478	0600	2367	YYYY	-0000	49	2478	600	2695	1423	1,25	68,11	40,67	-	1311	1508
11290	2528	0600	2367	YYYY	-0000	50	2528	600	2750	1452	1,25	69,50	41,50	-	1329	1528
11290	2578	0600	2367	YYYY	-0000	51	2578	600	2805	1481	1,25	70,89	42,33	-	1365	1570
11290	2628	0600	2367	YYYY	-0000	52	2628	600	2860	1510	1,25	72,28	43,16	-	1381	1588
11290	2678	0600	2367	YYYY	-0000	53	2678	600	2915	1539	1,25	73,67	43,99	-	1399	1609
11290	2728	0600	2367	YYYY	-0000	54	2728	600	2970	1568	1,25	75,06	44,82	-	1419	1632
11290	2778	0600	2367	YYYY	-0000	55	2778	600	3025	1597	1,25	76,45	45,65	-	1437	1653
11290	2828	0600	2367	YYYY	-0000	56	2828	600	3080	1626	1,25	77,84	46,48	-	1455	1673
11290	2878	0600	2367	YYYY	-0000	57	2878	600	3135	1655	1,25	79,23	47,31	-	1472	1693
11290	2928	0600	2367	YYYY	-0000	58	2928	600	3190	1685	1,25	80,62	48,14	-	1491	1715
11290	2978	0600	2367	YYYY	-0000	59	2978	600	3245	1714	1,25	82,01	48,97	-	1510	1737
11290	3028	0600	2367	YYYY	-0000	60	3028	600	3300	1743	1,25	83,40	49,80	-	1528	1757

VINTAGE (VINTAGE 50 / D160)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D160



PRODUCT GROUP: COLUMN

REFERENCE CODE CUSTOM MADE VINTAGE 50						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)						
REF. NR. VINTAGE 50/D160 : 11291																
11291	0178	0450	2367	YYYY	-0000	3	178	450	174	92	1,24	4,47	2,82	-	380	437
		0600				3	178	600	219	115	1,26	6,00	3,42	-	393	452
		1000				3	178	1000	333	172	1,29	9,63	4,89	-	429	493
11291	0228	0450	2367	YYYY	-0000	4	228	450	232	123	1,24	5,96	3,76	-	399	459
		0600				4	228	600	292	153	1,26	8,00	4,56	-	417	480
		1000				4	228	1000	444	230	1,29	12,84	6,52	-	460	529
11291	0278	0450	2367	YYYY	-0000	5	278	450	290	154	1,24	7,45	4,70	-	419	482
		0600				5	278	600	365	192	1,26	10,00	5,70	-	440	506
		1000				5	278	1000	555	287	1,29	16,05	8,15	-	495	569
11291	0328	0450	2367	YYYY	-0000	6	328	450	348	185	1,24	8,94	5,64	-	436	501
		0600				6	328	600	438	230	1,26	12,00	6,84	-	463	532
		1000				6	328	1000	666	345	1,29	19,26	9,78	-	528	607
11291	0378	0450	2367	YYYY	-0000	7	378	450	406	215	1,24	10,43	6,58	-	455	523
		0600				7	378	600	511	268	1,26	14,00	7,98	-	485	558
		1000				7	378	1000	777	402	1,29	22,47	11,41	-	561	645
11291	0428	0450	2367	YYYY	-0000	8	428	450	464	246	1,24	11,92	7,52	-	478	550
		0600				8	428	600	584	307	1,26	16,00	9,12	-	516	593
		1000				8	428	1000	888	459	1,29	25,68	13,04	-	598	688
11291	0478	0450	2367	YYYY	-0000	9	478	450	522	277	1,24	13,41	8,46	-	496	570
		0600				9	478	600	657	345	1,26	18,00	10,26	-	537	618
		1000				9	478	1000	999	517	1,29	28,89	14,67	-	632	727
11291	0528	0450	2367	YYYY	-0000	10	528	450	580	308	1,24	14,90	9,40	-	515	592
		0600				10	528	600	730	384	1,26	20,00	11,40	-	561	645
		1000				10	528	1000	1110	574	1,29	32,10	16,30	-	665	765
11291	0578	0450	2367	YYYY	-0000	11	578	450	638	339	1,24	16,39	10,34	-	538	619
		0600				11	578	600	803	422	1,26	22,00	12,54	-	590	679
		1000				11	578	1000	1221	632	1,29	35,31	17,93	-	703	808
11291	0628	0450	2367	YYYY	-0000	12	628	450	696	369	1,24	17,88	11,28	-	556	639
		0600				12	628	600	876	460	1,26	24,00	13,68	-	609	700
		1000				12	628	1000	1332	689	1,29	38,52	19,56	-	738	849
11291	0678	0450	2367	YYYY	-0000	13	678	450	754	400	1,24	19,37	12,22	-	572	658
		0600				13	678	600	949	499	1,26	26,00	14,82	-	633	728
		1000				13	678	1000	1443	747	1,29	41,73	21,19	-	767	882
11291	0728	0450	2367	YYYY	-0000	14	728	450	812	431	1,24	20,86	13,16	-	594	683
		0600				14	728	600	1022	537	1,26	28,00	15,96	-	657	756
		1000				14	728	1000	1554	804	1,29	44,94	22,82	-	801	921
11291	0778	0450	2367	YYYY	-0000	15	778	450	870	462	1,24	22,35	14,10	-	609	700
		0600				15	778	600	1095	575	1,26	30,00	17,10	-	677	779
		1000				15	778	1000	1665	861	1,29	48,15	24,45	-	833	958



In conformity with EN442-1: 2014: radiators and convectors

For heat outputs in other regimes, see p. 350 (correction factors)
 EXPORT. Prices in Euro (excl. VAT)

HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)

VINTAGE (VINTAGE 50 / D160)



VINTAGE 50 / D160

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D160 : 11291											
11291 0828 0450 2367 YYY -0000	16	828	450	928	493	1,24	23,84	15,04	-	630	725
	16	828	600	1168	614	1,26	32,00	18,24	-	701	806
	16	828	1000	1776	919	1,29	51,36	26,08	-	863	992
11291 0878 0450 2367 YYY -0000	17	878	450	986	523	1,24	25,33	15,98	-	644	741
	17	878	600	1241	652	1,26	34,00	19,38	-	724	833
	17	878	1000	1887	976	1,29	54,57	27,71	-	899	1034
11291 0928 0450 2367 YYY -0000	18	928	450	1044	554	1,24	26,82	16,92	-	665	765
	18	928	600	1314	690	1,26	36,00	20,52	-	745	857
	18	928	1000	1998	1034	1,29	57,78	29,34	-	931	1071
11291 0978 0450 2367 YYY -0000	19	978	450	1102	585	1,24	28,31	17,86	-	681	783
	19	978	600	1387	729	1,26	38,00	21,66	-	767	882
	19	978	1000	2109	1091	1,29	60,99	30,97	-	962	1106
11291 1028 0450 2367 YYY -0000	20	1028	450	1160	616	1,24	29,80	18,80	-	701	806
	20	1028	600	1460	767	1,26	40,00	22,80	-	788	906
	20	1028	1000	2220	1149	1,29	64,20	32,60	-	997	1147
11291 1078 0450 2367 YYY -0000	21	1078	450	1218	646	1,24	31,29	19,74	-	731	841
	21	1078	600	1533	805	1,26	42,00	23,94	-	826	950
	21	1078	1000	2331	1206	1,29	67,41	34,23	-	1043	1199
11291 1128 0450 2367 YYY -0000	22	1128	450	1276	677	1,24	32,78	20,68	-	752	865
	22	1128	600	1606	844	1,26	44,00	25,08	-	849	976
	22	1128	1000	2442	1263	1,29	70,62	35,86	-	1075	1236
11291 1178 0450 2367 YYY -0000	23	1178	450	1334	708	1,24	34,27	21,62	-	767	882
	23	1178	600	1679	882	1,26	46,00	26,22	-	866	996
	23	1178	1000	2553	1321	1,29	73,83	37,49	-	1107	1273
11291 1228 0450 2367 YYY -0000	24	1228	450	1392	739	1,24	35,76	22,56	-	785	903
	24	1228	600	1752	920	1,26	48,00	27,36	-	892	1026
	24	1228	1000	2664	1378	1,29	77,04	39,12	-	1140	1311
11291 1278 0450 2367 YYY -0000	25	1278	450	1450	770	1,24	37,25	23,50	-	802	922
	25	1278	600	1825	959	1,26	50,00	28,50	-	916	1053
	25	1278	1000	2775	1436	1,29	80,25	40,75	-	1171	1347
11291 1328 0450 2367 YYY -0000	26	1328	450	1508	800	1,24	38,74	24,44	-	837	963
	26	1328	600	1898	997	1,26	52,00	29,64	-	956	1099
	26	1328	1000	2886	1493	1,29	83,46	42,38	-	1223	1406
11291 1378 0450 2367 YYY -0000	27	1378	450	1566	831	1,24	40,23	25,38	-	856	984
	27	1378	600	1971	1036	1,26	54,00	30,78	-	976	1122
	27	1378	1000	2997	1551	1,29	86,67	44,01	-	1256	1444
11291 1428 0450 2367 YYY -0000	28	1428	450	1624	862	1,24	41,72	26,32	-	873	1004
	28	1428	600	2044	1074	1,26	56,00	31,92	-	998	1148
	28	1428	1000	3108	1608	1,29	89,88	45,64	-	1288	1481

In conformity with EN442-1: 2014: radiators and convectors


For heat outputs in other regimes, see p. 350 (correction factors)
EXPORT. Prices in Euro (excl. VAT)

VINTAGE (VINTAGE 50 / D160)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D160



PRODUCT GROUP: COLUMN



REFERENCE CODE CUSTOM MADE VINTAGE 50						TECHNICAL DATA					STANDARD COLOUR	OTHER COLOURS				
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D160 : 11291																
11291	1478	0450	2367	YYYY	-0000	29	1478	450	1682	893	1,24	43,21	27,26	-	892	1026
		0600				29	1478	600	2117	1112	1,26	58,00	33,06	-	1020	1173
		1000				29	1478	1000	3219	1665	1,29	93,09	47,27	-	1319	1517
11291	1528	0450	2367	YYYY	-0000	30	1528	450	1740	924	1,24	44,70	28,20	-	908	1044
		0600				30	1528	600	2190	1151	1,26	60,00	34,20	-	1045	1202
		1000				30	1528	1000	3330	1723	1,29	96,30	48,90	-	1351	1554
11291	1578	0450	2367	YYYY	-0000	31	1578	450	1798	954	1,24	46,19	29,14	-	928	1067
		0600				31	1578	600	2263	1189	1,26	62,00	34,34	-	1066	1226
11291	1628	0450	2367	YYYY	-0000	32	1628	450	1856	985	1,24	47,68	30,08	-	946	1088
		0600				32	1628	600	2336	1227	1,26	64,00	36,48	-	1085	1248
11291	1678	0450	2367	YYYY	-0000	33	1678	450	1914	1016	1,24	49,17	31,02	-	1002	1152
		0600				33	1678	600	2409	1266	1,26	66,00	37,62	-	1151	1324
11291	1728	0450	2367	YYYY	-0000	34	1728	450	1972	1047	1,24	50,66	31,96	-	1020	1173
		0600				34	1728	600	2482	1304	1,26	68,00	38,76	-	1173	1349
11291	1778	0450	2367	YYYY	-0000	35	1778	450	2030	1077	1,24	52,15	32,90	-	1038	1194
		0600				35	1778	600	2555	1342	1,26	70,00	39,90	-	1193	1372
11291	1828	0450	2367	YYYY	-0000	36	1828	450	2088	1108	1,24	53,64	33,84	-	1064	1224
		0600				36	1828	600	2628	1381	1,26	72,00	41,04	-	1224	1408
11291	1878	0450	2367	YYYY	-0000	37	1878	450	2146	1139	1,24	55,13	34,78	-	1081	1243
		0600				37	1878	600	2701	1419	1,26	74,00	42,18	-	1244	1431
11291	1928	0450	2367	YYYY	-0000	38	1928	450	2204	1170	1,24	56,62	35,72	-	1099	1264
		0600				38	1928	600	2774	1457	1,26	76,00	43,32	-	1268	1458
11291	1978	0450	2367	YYYY	-0000	39	1978	450	2262	1201	1,24	58,11	36,66	-	1118	1286
		0600				39	1978	600	2847	1496	1,26	78,00	44,46	-	1293	1487
11291	2028	0450	2367	YYYY	-0000	40	2028	450	2320	1231	1,24	59,60	37,60	-	1134	1304
		0600				40	2028	600	2920	1534	1,26	80,00	45,60	-	1313	1510
11291	2078	0450	2367	YYYY	-0000	41	2078	450	2378	1262	1,24	61,09	38,54	-	1153	1326
		0600				41	2078	600	2993	1572	1,26	82,00	46,74	-	1336	1536
11291	2128	0450	2367	YYYY	-0000	42	2128	450	2436	1293	1,24	62,58	39,48	-	1170	1346
		0600				42	2128	600	3066	1611	1,26	84,00	47,88	-	1361	1565
11291	2178	0450	2367	YYYY	-0000	43	2178	450	2494	1324	1,24	64,07	40,42	-	1189	1367
		0600				43	2178	600	3139	1649	1,26	86,00	49,02	-	1380	1587
11291	2228	0450	2367	YYYY	-0000	44	2228	450	2552	1355	1,24	65,56	41,36	-	1206	1387
		0600				44	2228	600	3212	1688	1,26	88,00	50,16	-	1401	1611
11291	2278	0450	2367	YYYY	-0000	45	2278	450	2610	1385	1,24	67,05	42,30	-	1225	1409
		0600				45	2278	600	3285	1726	1,26	90,00	51,30	-	1425	1639

In conformity with EN442-1: 2014: radiators and convectors

For heat outputs in other regimes, see p. 350 (correction factors)
 EXPORT. Prices in Euro (excl. VAT)

HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)



VINTAGE 50 / D160

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D160 : 11291											
11291	2328	0450	2367	YYYY	-0000						
		0600									
	46	2328	450	2668	1416	1,24	68,54	43,24	-	1241	1427
	46	2328	600	3358	1764	1,26	92,00	52,44	-	1446	1663
11291	2378	0450	2367	YYYY	-0000						
		0600									
	47	2378	450	2726	1447	1,24	70,03	44,18	-	1263	1452
	47	2378	600	3431	1803	1,26	94,00	53,58	-	1469	1689
11291	2428	0450	2367	YYYY	-0000						
		0600									
	48	2428	450	2784	1478	1,24	71,52	45,12	-	1279	1471
	48	2428	600	3504	1841	1,26	96,00	54,72	-	1491	1715
11291	2478	0450	2367	YYYY	-0000						
		0600									
	49	2478	450	2842	1508	1,24	73,01	46,06	-	1297	1492
11291	2528	0450	2367	YYYY	-0000						
		0600									
	50	2528	450	2900	1539	1,24	74,50	47,00	-	1314	1511
11291	2578	0450	2367	YYYY	-0000						
		0600									
	51	2578	450	2958	1570	1,24	75,99	47,94	-	1348	1550
11291	2628	0450	2367	YYYY	-0000						
		0600									
	52	2628	450	3016	1601	1,24	77,48	48,88	-	1368	1573
11291	2678	0450	2367	YYYY	-0000						
		0600									
	53	2678	450	3074	1632	1,24	78,97	49,82	-	1385	1593
11291	2728	0450	2367	YYYY	-0000						
		0600									
	54	2728	450	3132	1662	1,24	80,46	50,76	-	1402	1612
11291	2778	0450	2367	YYYY	-0000						
		0600									
	55	2778	450	3190	1693	1,24	81,95	51,70	-	1422	1635
11291	2828	0450	2367	YYYY	-0000						
		0600									
	56	2828	450	3248	1724	1,24	83,44	52,64	-	1440	1656
11291	2878	0450	2367	YYYY	-0000						
		0600									
	57	2878	450	3306	1755	1,24	84,93	53,58	-	1456	1674
11291	2928	0450	2367	YYYY	-0000						
		0600									
	58	2928	450	3364	1786	1,24	86,42	54,52	-	1475	1696
11291	2978	0450	2367	YYYY	-0000						
		0600									
	59	2978	450	3422	1816	1,24	87,91	55,46	-	1493	1717
11291	3028	0450	2367	YYYY	-0000						
		0600									
	60	3028	450	3480	1847	1,24	89,40	56,40	-	1512	1739

In conformity with EN442-1: 2014: radiators and convectors


For heat outputs in other regimes, see p. 350 (correction factors)
EXPORT. Prices in Euro (excl. VAT)

VINTAGE (VINTAGE 50 / D220)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D220



PRODUCT GROUP: COLUMN



REFERENCE CODE CUSTOM MADE VINTAGE 50						TECHNICAL DATA						STANDARD COLOUR	OTHER COLOURS			
tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)						
REF. NR. VINTAGE 50/D220 : 11292																
11292	0178	0450	2367	YYYY	-0000	3	178	450	225	119	1,25	6,00	3,69	-	392	451
		0600				3	178	600	282	148	1,26	7,86	4,44	-	409	470
		1000				3	178	1000	435	226	1,28	13,68	7,26	-	455	523
11292	0228	0450	2367	YYYY	-0000	4	228	450	300	158	1,25	8,00	4,92	-	413	475
		0600				4	228	600	376	198	1,26	10,48	5,92	-	438	504
		1000				4	228	1000	580	302	1,28	18,24	9,68	-	496	570
11292	0278	0450	2367	YYYY	-0000	5	278	450	375	198	1,25	10,00	6,15	-	437	503
		0600				5	278	600	470	247	1,26	13,10	7,40	-	468	538
		1000				5	278	1000	725	377	1,28	22,80	12,10	-	538	619
11292	0328	0450	2367	YYYY	-0000	6	328	450	450	238	1,25	12,00	7,38	-	460	529
		0600				6	328	600	564	296	1,26	15,72	8,88	-	495	569
		1000				6	328	1000	870	452	1,28	27,36	14,52	-	582	669
11292	0378	0450	2367	YYYY	-0000	7	378	450	525	277	1,25	14,00	8,61	-	480	552
		0600				7	378	600	658	346	1,26	18,34	10,36	-	523	601
		1000				7	378	1000	1015	528	1,28	31,92	16,94	-	623	716
11292	0428	0450	2367	YYYY	-0000	8	428	450	600	317	1,25	16,00	9,84	-	510	587
		0600				8	428	600	752	395	1,26	20,96	11,84	-	566	639
		1000				8	428	1000	1160	603	1,28	36,48	19,36	-	671	772
11292	0478	0450	2367	YYYY	-0000	9	478	450	675	356	1,25	18,00	11,07	-	530	610
		0600				9	478	600	846	444	1,26	23,58	13,32	-	585	673
		1000				9	478	1000	1305	679	1,28	41,04	21,78	-	711	818
11292	0528	0450	2367	YYYY	-0000	10	528	450	750	396	1,25	20,00	12,30	-	552	635
		0600				10	528	600	940	494	1,26	26,20	14,80	-	609	700
		1000				10	528	1000	1450	754	1,28	45,60	24,20	-	755	868
11292	0578	0450	2367	YYYY	-0000	11	578	450	825	436	1,25	22,00	13,53	-	582	669
		0600				11	578	600	1034	543	1,26	28,82	16,28	-	642	738
		1000				11	578	1000	1595	829	1,28	50,16	26,62	-	802	922
11292	0628	0450	2367	YYYY	-0000	12	628	450	900	475	1,25	24,00	14,76	-	602	692
		0600				12	628	600	1128	593	1,26	31,44	17,76	-	674	775
		1000				12	628	1000	1740	905	1,28	54,72	29,04	-	847	974
11292	0678	0450	2367	YYYY	-0000	13	678	450	975	515	1,25	26,00	15,99	-	625	719
		0600				13	678	600	1222	642	1,26	34,06	19,24	-	701	806
		1000				13	678	1000	1885	980	1,28	59,28	31,46	-	887	1020
11292	0728	0450	2367	YYYY	-0000	14	728	450	1050	554	1,25	28,00	17,22	-	642	738
		0600				14	728	600	1316	691	1,26	36,68	20,72	-	729	838
		1000				14	728	1000	2030	1056	1,28	63,84	33,88	-	927	1066
11292	0778	0450	2367	YYYY	-0000	15	778	450	1125	594	1,25	30,00	18,45	-	669	769
		0600				15	778	600	1410	741	1,26	39,30	22,20	-	755	868
		1000				15	778	1000	2175	1131	1,28	68,40	36,30	-	968	1113

In conformity with EN442-1: 2014: radiators and convectors

For heat outputs in other regimes, see p. 350 (correction factors)
 EXPORT. Prices in Euro (excl. VAT)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)

VINTAGE (VINTAGE 50 / D220)



VINTAGE 50 / D220

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS					
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)					
REF. NR. VINTAGE 50/D220 : 11292																
11292	0828	0450	2367	YYYY	-0000	16	828	450	1200	634	1,25	32,00	19,68	-	687	790
		0600				16	828	600	1504	790	1,26	41,92	23,68	-	783	900
		1000				16	828	1000	2320	1206	1,28	72,96	38,72	-	1011	1163
11292	0878	0450	2367	YYYY	-0000	17	878	450	1275	673	1,25	34,00	20,91	-	708	814
		0600				17	878	600	1598	840	1,26	44,54	25,16	-	810	932
		1000				17	878	1000	2465	1282	1,28	77,52	41,14	-	1053	1211
11292	0928	0450	2367	YYYY	-0000	18	928	450	1350	713	1,25	36,00	22,14	-	731	841
		0600				18	928	600	1692	889	1,26	47,16	26,64	-	837	963
		1000				18	928	1000	2610	1357	1,28	82,08	43,56	-	1094	1258
11292	0978	0450	2367	YYYY	-0000	19	978	450	1425	752	1,25	38,00	23,37	-	754	867
		0600				19	978	600	1786	938	1,26	49,78	28,12	-	862	991
		1000				19	978	1000	2755	1433	1,28	86,64	45,98	-	1136	1306
11292	1028	0450	2367	YYYY	-0000	20	1028	450	1500	792	1,25	40,00	24,60	-	774	890
		0600				20	1028	600	1880	988	1,26	52,40	29,60	-	892	1026
		1000				20	1028	1000	2900	1508	1,28	91,20	48,40	-	1178	1355
11292	1078	0450	2367	YYYY	-0000	21	1078	450	1575	832	1,25	42,00	25,83	-	808	929
		0600				21	1078	600	1974	1037	1,26	55,02	31,08	-	931	1071
		1000				21	1078	1000	3045	1584	1,28	95,76	50,82	-	1231	1416
11292	1128	0450	2367	YYYY	-0000	22	1128	450	1650	871	1,25	44,00	27,06	-	832	957
		0600				22	1128	600	2068	1086	1,26	57,64	32,56	-	960	1104
		1000				22	1128	1000	3190	1659	1,28	100,32	53,24	-	1273	1464
11292	1178	0450	2367	YYYY	-0000	23	1178	450	1725	911	1,25	46,00	28,29	-	852	980
		0600				23	1178	600	2162	1136	1,26	60,26	34,04	-	989	1137
		1000				23	1178	1000	3335	1734	1,28	104,88	55,66	-	1315	1512
11292	1228	0450	2367	YYYY	-0000	24	1228	450	1800	951	1,25	48,00	29,52	-	873	1004
		0600				24	1228	600	2256	1185	1,26	62,88	35,52	-	1014	1166
		1000				24	1228	1000	3480	1810	1,28	109,44	58,08	-	1361	1565
11292	1278	0450	2367	YYYY	-0000	25	1278	450	1875	990	1,25	50,00	30,75	-	895	1029
		0600				25	1278	600	2350	1235	1,26	65,50	37,00	-	1043	1199
		1000				25	1278	1000	3625	1885	1,28	114,00	60,50	-	1399	1609
11292	1328	0450	2367	YYYY	-0000	26	1328	450	1950	1030	1,25	52,00	31,98	-	932	1072
		0600				26	1328	600	2444	1284	1,26	68,12	38,48	-	1084	1247
		1000				26	1328	1000	3770	1961	1,28	118,56	62,92	-	1458	1677
11292	1378	0450	2367	YYYY	-0000	27	1378	450	2025	1069	1,25	54,00	33,21	-	957	1101
		0600				27	1378	600	2538	1333	1,26	70,74	39,96	-	1115	1282
		1000				27	1378	1000	3915	2036	1,28	123,12	65,34	-	1498	1723
11292	1428	0450	2367	YYYY	-0000	28	1428	450	2100	1109	1,25	56,00	34,44	-	976	1122
		0600				28	1428	600	2632	1383	1,26	73,36	41,44	-	1140	1311
		1000				28	1428	1000	4060	2111	1,28	127,68	67,76	-	1541	1772

In conformity with EN442-1: 2014: radiators and convectors


For heat outputs in other regimes, see p. 350 (correction factors)
 EXPORT. Prices in Euro (excl. VAT)

VINTAGE (VINTAGE 50 / D220)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D220



PRODUCT GROUP: COLUMN



REFERENCE CODE CUSTOM MADE VINTAGE 50						TECHNICAL DATA					STANDARD COLOUR	OTHER COLOURS				
						tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D220 : 11292																
11292	1478	0450	2367	YYYY	-0000	29	1478	450	2175	1149	1,25	58,00	35,67	-	998	1148
		0600				29	1478	600	2726	1432	1,26	75,98	42,92	-	1167	1342
		1000				29	1478	1000	4205	2187	1,28	132,24	70,18	-	1584	1822
11292	1528	0450	2367	YYYY	-0000	30	1528	450	2250	1188	1,25	60,00	36,90	-	1018	1171
		0600				30	1528	600	2820	1482	1,26	78,60	44,40	-	1193	1372
		1000				30	1528	1000	4350	2262	1,28	136,80	72,60	-	1623	1866
11292	1578	0450	2367	YYYY	-0000	31	1578	450	2325	1228	1,25	62,00	38,13	-	1043	1199
		0600				31	1578	600	2914	1531	1,26	81,22	45,88	-	1224	1408
11292	1628	0450	2367	YYYY	-0000	32	1628	450	2400	1267	1,25	64,00	39,36	-	1064	1224
		0600				32	1628	600	3008	1580	1,26	83,84	47,36	-	1251	1439
11292	1678	0450	2367	YYYY	-0000	33	1678	450	2475	1307	1,25	66,00	40,59	-	1124	1293
		0600				33	1678	600	3102	1630	1,26	86,46	48,84	-	1317	1515
11292	1728	0450	2367	YYYY	-0000	34	1728	450	2550	1347	1,25	68,00	41,82	-	1149	1321
		0600				34	1728	600	3196	1679	1,26	89,08	50,32	-	1345	1547
11292	1778	0450	2367	YYYY	-0000	35	1778	450	2625	1386	1,25	70,00	43,05	-	1167	1342
		0600				35	1778	600	3290	1728	1,26	91,70	51,80	-	1372	1578
11292	1828	0450	2367	YYYY	-0000	36	1828	450	2700	1426	1,25	72,00	44,28	-	1193	1372
		0600				36	1828	600	3384	1778	1,26	94,32	53,28	-	1404	1615
11292	1878	0450	2367	YYYY	-0000	37	1878	450	2775	1465	1,25	74,00	45,51	-	1219	1402
		0600				37	1878	600	3478	1827	1,26	96,36	54,76	-	1434	1649
11292	1928	0450	2367	YYYY	-0000	38	1928	450	2850	1505	1,25	76,00	46,74	-	1238	1424
		0600				38	1928	600	3572	1877	1,26	99,56	56,24	-	1459	1678
11292	1978	0450	2367	YYYY	-0000	39	1978	450	2925	1545	1,25	78,00	47,97	-	1263	1452
		0600				39	1978	600	3666	1926	1,26	102,18	57,72	-	1489	1712
11292	2028	0450	2367	YYYY	-0000	40	2028	450	3000	1584	1,25	80,00	49,20	-	1281	1473
		0600				40	2028	600	3760	1975	1,26	104,80	59,20	-	1517	1745
11292	2078	0450	2367	YYYY	-0000	41	2078	450	3075	1624	1,25	82,00	50,43	-	1302	1497
		0600				41	2078	600	3854	2025	1,26	107,42	60,68	-	1542	1773
11292	2128	0450	2367	YYYY	-0000	42	2128	450	3150	1663	1,25	84,00	51,66	-	1326	1525
		0600				42	2128	600	3948	2074	1,26	110,04	62,16	-	1569	1804
11292	2178	0450	2367	YYYY	-0000	43	2178	450	3225	1703	1,25	86,00	52,89	-	1346	1548
		0600				43	2178	600	4042	2124	1,26	112,66	63,64	-	1597	1837
11292	2228	0450	2367	YYYY	-0000	44	2228	450	3300	1743	1,25	88,00	54,12	-	1369	1574
		0600				44	2228	600	4136	2173	1,26	115,28	65,12	-	1624	1868
11292	2278	0450	2367	YYYY	-0000	45	2278	450	3375	1782	1,25	90,00	55,35	-	1389	1597
		0600				45	2278	600	4230	2222	1,26	117,90	66,60	-	1651	1899

In conformity with EN442-1: 2014: radiators and convectors

For heat outputs in other regimes, see p. 350 (correction factors)
 EXPORT. Prices in Euro (excl. VAT)

HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)



VINTAGE 50 / D220

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D220 : 11292											
11292 2328 0450 2367 YYYY -0000	46	2328	450	3450	1822	1,25	93,84	56,58	-	1413	1625
	46	2328	600	4324	2272	1,26	120,52	68,08	-	1682	1934
11292 2378 0450 2367 YYYY -0000	47	2378	450	3525	1861	1,25	94,00	57,81	-	1434	1649
	47	2378	600	4418	2321	1,26	123,14	69,56	-	1707	1963
11292 2428 0450 2367 YYYY -0000	48	2428	450	3600	1901	1,25	96,00	59,04	-	1455	1673
	48	2428	600	4512	2370	1,26	125,76	71,04	-	1733	1993
11292 2478 0450 2367 YYYY -0000	49	2478	450	3675	1941	1,25	99,96	60,27	-	1475	1696
	49	2478	600	4606	2420	1,26	128,38	72,52	-	1760	2024
11292 2528 0450 2367 YYYY -0000	50	2528	450	3750	1980	1,25	102,00	61,50	-	1497	1722
	50	2528	600	4700	2469	1,26	131,00	74,00	-	1791	2060
11292 2578 0450 2367 YYYY -0000	51	2578	450	3825	2020	1,25	104,04	62,73	-	1536	1766
11292 2628 0450 2367 YYYY -0000	52	2628	450	3900	2059	1,25	106,08	63,96	-	1558	1792
11292 2678 0450 2367 YYYY -0000	53	2678	450	3975	2099	1,25	108,12	65,19	-	1580	1817
11292 2728 0450 2367 YYYY -0000	54	2728	450	4050	2139	1,25	110,16	66,42	-	1599	1839
11292 2778 0450 2367 YYYY -0000	55	2778	450	4125	2178	1,25	112,20	67,65	-	1622	1865
11292 2828 0450 2367 YYYY -0000	56	2828	450	4200	2218	1,25	114,24	68,88	-	1645	1892
11292 2878 0450 2367 YYYY -0000	57	2878	450	4275	2257	1,25	116,28	70,11	-	1665	1915
11292 2928 0450 2367 YYYY -0000	58	2928	450	4350	2297	1,25	118,32	71,34	-	1688	1941
11292 2978 0450 2367 YYYY -0000	59	2978	450	4425	2337	1,25	120,36	72,57	-	1710	1967
11292 3028 0450 2367 YYYY -0000	60	3028	450	4500	2376	1,25	122,40	73,80	-	1731	1991

In conformity with EN442-1: 2014: radiators and convectors


For heat outputs in other regimes, see p. 350 (correction factors)
EXPORT. Prices in Euro (excl. VAT)

VINTAGE (VINTAGE 50 / D250)

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



VINTAGE 50 / D250



PRODUCT GROUP: COLUMN



REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA										STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)	
REF. NR. VINTAGE 50/D250 : 11293												
11293 0178 0300 2367 YYY -0000	3	178	300	186	98	1,26	4,56	2,97	-	399	459	
11293 0228 0300 2367 YYY -0000	4	228	300	248	130	1,26	6,08	3,96	-	421	484	
11293 0278 0300 2367 YYY -0000	5	278	300	310	163	1,26	7,60	4,95	-	443	509	
11293 0328 0300 2367 YYY -0000	6	328	300	372	195	1,26	9,12	5,94	-	464	534	
11293 0378 0300 2367 YYY -0000	7	378	300	434	228	1,26	10,64	6,93	-	485	558	
11293 0428 0300 2367 YYY -0000	8	428	300	496	261	1,26	12,16	7,92	-	514	591	
11293 0478 0300 2367 YYY -0000	9	478	300	558	293	1,26	13,68	8,91	-	534	614	
11293 0528 0300 2367 YYY -0000	10	528	300	620	326	1,26	15,20	9,90	-	553	636	
11293 0578 0300 2367 YYY -0000	11	578	300	682	358	1,26	16,72	10,89	-	582	669	
11293 0628 0300 2367 YYY -0000	12	628	300	744	391	1,26	18,34	11,88	-	603	693	
11293 0678 0300 2367 YYY -0000	13	678	300	806	423	1,26	19,76	12,87	-	623	716	
11293 0728 0300 2367 YYY -0000	14	728	300	868	456	1,26	21,28	13,86	-	642	738	
11293 0778 0300 2367 YYY -0000	15	778	300	930	489	1,26	22,80	14,85	-	667	767	
11293 0828 0300 2367 YYY -0000	16	828	300	992	521	1,26	24,32	15,84	-	686	789	
11293 0878 0300 2367 YYY -0000	17	878	300	1054	554	1,26	25,84	16,83	-	705	811	
11293 0928 0300 2367 YYY -0000	18	928	300	1116	586	1,26	27,36	17,82	-	729	838	
11293 0978 0300 2367 YYY -0000	19	978	300	1178	619	1,26	28,88	18,81	-	750	863	
11293 1028 0300 2367 YYY -0000	20	1028	300	1240	651	1,26	30,40	19,80	-	768	883	
11293 1078 0300 2367 YYY -0000	21	1078	300	1302	684	1,26	31,92	20,79	-	802	922	
11293 1128 0300 2367 YYY -0000	22	1128	300	1364	717	1,26	33,44	21,78	-	823	946	
11293 1178 0300 2367 YYY -0000	23	1178	300	1426	749	1,26	34,96	22,77	-	848	975	
11293 1228 0300 2367 YYY -0000	24	1228	300	1488	782	1,26	36,68	23,76	-	863	992	
11293 1278 0300 2367 YYY -0000	25	1278	300	1550	814	1,26	38,00	24,75	-	888	1021	
11293 1328 0300 2367 YYY -0000	26	1328	300	1612	847	1,26	39,52	25,74	-	928	1067	
11293 1378 0300 2367 YYY -0000	27	1378	300	1674	879	1,26	41,04	26,73	-	951	1094	
11293 1428 0300 2367 YYY -0000	28	1428	300	1736	912	1,26	42,56	27,72	-	969	1114	
11293 1478 0300 2367 YYY -0000	29	1478	300	1798	945	1,26	44,08	28,71	-	993	1142	

VASCO

HOW TO ORDER VINTAGE 50

Delivery time 15 - 30 working days
(transport duration not included)

VINTAGE (VINTAGE 50 / D250)




VINTAGE 50 / D250

PRODUCT GROUP: COLUMN


REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA										STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)	
REF. NR. VINTAGE 50/D250 : 11293												
11293 1528 0300 2367 YYYY -0000	30	1528	300	1860	977	1,26	45,60	29,70	-	1011	1163	
11293 1578 0300 2367 YYYY -0000	31	1578	300	1922	1010	1,26	47,12	30,69	-	1032	1187	
11293 1628 0300 2367 YYYY -0000	32	1628	300	1984	1042	1,26	48,64	31,68	-	1054	1212	
11293 1678 0300 2367 YYYY -0000	33	1678	300	2046	1075	1,26	50,16	32,67	-	1117	1285	
11293 1728 0300 2367 YYYY -0000	34	1728	300	2108	1107	1,26	51,68	33,66	-	1136	1306	
11293 1778 0300 2367 YYYY -0000	35	1778	300	2170	1140	1,26	53,20	34,65	-	1156	1329	
11293 1828 0300 2367 YYYY -0000	36	1828	300	2232	1173	1,26	55,02	35,64	-	1184	1362	
11293 1878 0300 2367 YYYY -0000	37	1878	300	2294	1205	1,26	56,24	36,63	-	1205	1386	
11293 1928 0300 2367 YYYY -0000	38	1928	300	2356	1238	1,26	57,76	37,62	-	1225	1409	
11293 1978 0300 2367 YYYY -0000	39	1978	300	2418	1270	1,26	59,28	38,61	-	1244	1431	
11293 2028 0300 2367 YYYY -0000	40	2028	300	2480	1303	1,26	60,80	39,60	-	1267	1457	
11293 2078 0300 2367 YYYY -0000	41	2078	300	2542	1336	1,26	62,32	40,59	-	1288	1481	
11293 2128 0300 2367 YYYY -0000	42	2128	300	2604	1368	1,26	63,84	41,58	-	1309	1505	
11293 2178 0300 2367 YYYY -0000	43	2178	300	2666	1401	1,26	65,36	42,57	-	1329	1528	
11293 2228 0300 2367 YYYY -0000	44	2228	300	2728	1433	1,26	66,88	43,56	-	1348	1550	
11293 2278 0300 2367 YYYY -0000	45	2278	300	2790	1466	1,26	68,40	44,55	-	1371	1577	
11293 2328 0300 2367 YYYY -0000	46	2328	300	2852	1498	1,26	69,92	45,54	-	1390	1599	
11293 2378 0300 2367 YYYY -0000	47	2378	300	2914	1531	1,26	71,44	46,53	-	1413	1625	
11293 2428 0300 2367 YYYY -0000	48	2428	300	2976	1564	1,26	73,36	47,52	-	1434	1649	
11293 2478 0300 2367 YYYY -0000	49	2478	300	3038	1596	1,26	74,48	48,51	-	1454	1672	
11293 2528 0300 2367 YYYY -0000	50	2528	300	3100	1629	1,26	76,00	49,50	-	1475	1696	
11293 2578 0300 2367 YYYY -0000	51	2578	300	3162	1661	1,26	77,52	50,49	-	1518	1746	
11293 2628 0300 2367 YYYY -0000	52	2628	300	3224	1694	1,26	79,04	51,48	-	1537	1768	
11293 2678 0300 2367 YYYY -0000	53	2678	300	3286	1726	1,26	80,56	52,47	-	1560	1794	
11293 2728 0300 2367 YYYY -0000	54	2728	300	3348	1759	1,26	82,08	53,46	-	1580	1817	
11293 2778 0300 2367 YYYY -0000	55	2778	300	3410	1792	1,26	83,60	54,45	-	1599	1839	
11293 2828 0300 2367 YYYY -0000	56	2828	300	3472	1824	1,26	85,12	55,44	-	1620	1863	

VINTAGE (VINTAGE 50 / D250)



VINTAGE 50 / D250

HOW TO ORDER VINTAGE 50
 Delivery time 15 - 30 working days
 (transport duration not included)



PRODUCT GROUP: COLUMN

REFERENCE CODE CUSTOM MADE VINTAGE 50	TECHNICAL DATA									STANDARD COLOUR	OTHER COLOURS
	tubes	width (L mm)	height (H mm)	75/65/20 (Watt) (φ50K)	55/45/20 (Watt) (φ30K)	n-exp.	weight (kg)	water content (l)	electr. resistance (Watt)	price S600 (€)	price colour (€)
REF. NR. VINTAGE 50/D250 : 11293											
11293 2878 0300 2367 YYYY -0000	57	2878	300	3534	1857	1,26	86,64	56,43	-	1645	1892
11293 2928 0300 2367 YYYY -0000	58	2928	300	3596	1889	1,26	88,16	57,42	-	1662	1911
11293 2978 0300 2367 YYYY -0000	59	2978	300	3658	1922	1,26	89,68	58,41	-	1686	1939
11293 3028 0300 2367 YYYY -0000	60	3028	300	3720	1954	1,26	91,70	59,40	-	1705	1961

In conformity with EN442-1: 2014: radiators and convectors

For heat outputs in other regimes, see p. 350 (correction factors)
EXPORT. Prices in Euro (excl. VAT)

VINTAGE BRACKETS


PRODUCT GROUP: ACC SUP

BRACKETS			COLOUR
		VINTAGE 50	
WALL BRACKETS			in the colour of the radiator*
		VINTAGE 50	
FEET		2 feet for 25 columns 3 feet for 50 columns 4 feet for 60 columns	in the colour of the radiator* in the colour of the radiator* in the colour of the radiator*

* The feet and brackets of radiators in transparent coating are lacquered in the colour N507.


VINTAGE CONNECTIONS

VINTAGE: VINTAGE 50



- Air vent in connection 3 or 6

VINTAGE: VINTAGE 50




- Air vent in connection 3 or 6
- Connections on special demand: supplement €70

Attention: connecting the radiator can only be as shown by the connecting icons. For any other connection method, we take no responsibility.

VINTAGE TECHNICAL DRAWINGS


VINTAGE (VINTAGE 50)



VINTAGE 50


Height (H)	300	450	600	1000
Centre between the lateral connections (S)	200	350	500	900

VINTAGE (VINTAGE 50)



VINTAGE 50 (FLOOR MOUNTING)

Number of columns	2-25	26-50	51-60
Number of feet	2	3	4




VINTAGE 50 (WALL MOUNTING) LD 50 + LW 50

Depth (D)	110	160	220	250
Distance between wall and connection (E)	105	130	160	175
Distance between wall and backside radiator (F)	50			

VINTAGE 50 (WALL MOUNTING)

Number of columns	3-5	6-25	26-50	51-60
Number of wall brackets set LD 50 + LW 50	1	2	3	4



VINTAGE 50

Height (H)	300	450	600	1000
Centre between the lateral connections (S)	200	350	500	900

